

COMMONWEALTH OF KENTUCKY
BEFORE THE ENERGY REGULATORY COMMISSION

* * * * *

In the Matter of

APPLICATION OF MR. ROBERT BURKE)	
BLUE RIVER, KENTUCKY, TO DEVIATE FROM)	
COMMISSION REGULATION 807 KAR 50:045)	CASE NO. 7754
SECTION 6, SUBPART 6)	

O R D E R

On February 25, 1980, Mr. Robert Burke, Van Lear, Kentucky, filed a letter with the Commission requesting authority to use 1-1/4 inch plastic pipe in the construction of a service line to his property from a line of the Kentucky-West Virginia Gas Co.

The Commission decided to treat this letter as an application requesting authority to deviate from the provisions of Commission Regulation 807 KAR 50:045 Section 6, Subpart 6.

A member of the Commission staff inspected the proposed location of the service line and found that it would be possible to bury the line to a sufficient depth to prevent damage to same by various digging activities and recommended the granting of the requested authority.

The Commission, having considered the application, all evidence of record and being fully advised, is of the opinion and finds:

1. That a hearing to consider the merits of the application will not be necessary.
2. That Mr. Burke should be granted permission to use 1-1/4 inch plastic pipe in lieu of black steel pipe provided the pipe is of an approved type and the entire service line is plastic and is buried a minimum of 36 inches; and provided that the steel pipe encasement of the plastic be properly installed at the creek crossing.
3. That the completed service line installation shall be inspected by Commission staff members prior to the filling of the ditch.

4. That Mr. Burke shall notify the Commission when construction is sufficiently completed to allow for the above inspection.

5. That Mr. Burke shall meet all other requirements of Energy Regulatory Commission Regulation 807 KAR 50:045 Section 6 in his installations.

IT IS THEREFORE ORDERED that Mr. Robert Burke, Van Lear, Kentucky, be and he hereby is granted authority to deviate from Energy Regulatory Commission Regulation 807 KAR 50:045 Section 6, Subpart 6 and install 1-1/4 inch plastic pipe of an approved type for his service line said pipe to be buried a minimum of 36 inches, with the creek crossing installed with the proper steel encasement of the plastic pipe.

IT IS FURTHER ORDERED THAT Mr. Burke notify the Commission when construction is sufficiently completed to allow for the inspection and approval of the line by the Division of Utility Engineering and Services of the Energy Regulatory Commission before service is rendered.

Done at Frankfort, Kentucky, this 23rd day of April, 1980.

ENERGY REGULATORY COMMISSION


Chairman


Vice Chairman


Commissioner

ATTEST:

Secretary